

DANGER
KEEP OUT OF REACH OF CHILDREN



STOCK IODINE 2.5%



Contains 12.5g/L Iodine, 16.6g/L Potassium Iodide
and 340g/L Alcohol

**Iodine dietary supplement
& calf navel antiseptic**

For iodine deficiency and calf navel antiseptic



FLAMMABLE LIQUID; TOXIC SUBSTANCE - SKIN IRRITANT; EYE IRRITANT; SENSITISER; TOXIC TO
TARGET ORGANS OR SYSTEMS (SUSPECTED); ECOTOXIC IN THE AQUATIC ENVIRONMENT (SUSPECTED);
EPA APPROVAL CODE: HSR001996.

STOCK IODINE 2.5%

For iodine deficiency
and calf navel antiseptic

DRINKING WATER

For iodising drinking water use 5mL in 1000L to give 0.125mg/L. Diets containing 0.5mg/kg DM will more than adequately meet the iodine requirements of cattle, sheep, goats and deer. To be used only in areas on iodine deficiency.

Animal	Dose per 10 animals
Horses	3mL - 7mL
Dairy cows	4mL - 8mL
Sheep	1.5mL - 3mL
Pigs	3mL - 6mL
Fowls	0.3mL - 0.6mL
Bulk water treatment	5mL/1000L

CALF NAVELS

Apply directly to assist in sanitisation of calf navels three times per day for a maximum of three days.

BARCODE

4660-020

HAZARD

Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs (single exposure). May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

PREVENTION

Read label before use. Read Safety Data Sheet before use. Keep away from heat. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof ventilated equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe vapours. Wash hands thoroughly after handling. Do not eat drink or smoke while using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye/face protection.

RESPONSE

If medical advice is needed, have product container or label at hand. IF SWALLOWED: Do NOT induce vomiting. Rinse mouth then give a glass or two of water or milk. Call a Poison Centre or Doctor if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Remove contaminated clothing. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin or eye irritation persists get medical attention. Wash contaminated clothing before reuse. Collect spillage.

STORAGE

Store in a well ventilated place. Keep cool. Store locked up.

DISPOSAL

Dispose of product or empty containers safely. Triple rinse containers when empty. Avoid contamination of any water supply with product or empty container. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Ethanol: Land Spill - Apply appropriate foam to diminish vapour and fire hazard. Water spill - Use natural barriers or oil spill control booms to limit spill travel. Allow to aerate. Air spill - Apply water spray or mist to knock down vapours.

**24 HOUR EMERGENCY RESPONSE:
0800 243 622 (0800 CHEMCALL)**



SCAN FOR PRODUCT INFORMATION



Scan me

FREE RECYCLING



agrecovery.co.nz