



TEATSHIELD ACTIVE

Contains Chlorhexidine Gluconate 44g/L, Sorbitol 300g/L, Glycerine 100g/L, Propylene Glycol 150g/L

Chlorhexidine teat spray sanitiser with Manuka honey

For use as a post milking aid in the control of mastitis

✓ PASSED NZ TEAT SANITISER PROTOCOL A 1997

HAZARDOUS IN THE AQUATIC ENVIRONMENT (VERY HIGH HAZARD). LIQUID CONTAINING 3 - 6.5% CHLORHEXIDINE GLUCONATE. EPA APPROVAL CODE: HSR100759. GROUP STANDARD: VETERINARY MEDICINES. UN NO: 3082, HAZCHEM CODE: 2Z, PACKING GROUP: III. MPI APPROVED FOR FOOD-BEVERAGE: FARM DAIRIES (POST MILKING TEAT SANITISER) REF: HT121. PASSED NZ TEAT SANITISER PROTOCOL A 1997. PASSED EN1656. REGISTERED PURSUANT TO THE ACVM ACT 1997 NO. A10969. SEE WWW.FOODSAFETY.GOVT.NZ FOR REGISTRATION DETAILS.







TEATSHIELD ACTIVE

Chlorhexidine teat spray sanitiser with Manuka honey

For use as a post milking aid in the control of mastitis

By law, the user must take due care, seeking expert advice if necessary, to avoid unnecessary pain or distress in the treated animal when using the product in a manner other than as directed on the label.

DIRECTIONS FOR USE

Refer to the table (to the right) for dilution instructions. Apply at a rate of 15-20mL per cow each milking. Make up use solutions in clean plastic or stainless containers. It is important to use good quality water. Diluted solutions are stable up to 7 days if stored in a clean and contamination free environment. Spray teats as soon possible after cup removal. Use a fine spray and ensure that the whole teat barrel is covered, with a droplet formed on the teat end. Pressure and nozzle settings may need adjusting to obtain an appropriate spray pattern, especially changing the mix between High, Medium and Low Challenge rates. Consult your FIL Area Manager for more information.

BARCODE

4672-006

DILUTION TABLE

Larger volumes can be made if necessary, multiplying all components by the same factor.

Product	High challenge	Medium challenge	Low challenge
Water	15L	16L	18L
FIL Teatshield Active	3L	2L	2L
FIL Teat Conditioner	2L	2L	OL
Emollient level	15%	12%	5.5%
Chlorhexidine level	6600ppm	4400ppm	4400ppm
Total	20L	20L	20L

High challenge situations include wet or windy conditions, dry or chapped teats with an elevated risk of mastitis. This would typically be from May to October. Medium challenge situations occur during the change from wet or windy conditions to dry weather patterns when there is still a risk of dry or chapped teats or mastitis. This would typically be during October and November.

WARNING

May cause eye irritation.

PREVENTION

Read label before use. Read safety data sheet before use. Avoid release to the environment.

RESPONSE

Collect spillage.

STORAGE

Store in a cool place away from direct sunlight.

DISPOSAL

Dispose of product and empty containers safely in accordance with local regulations. Triple rinse containers when empty. Add rinsings to use solutions. Avoid contamination of natural water supplies with chemical or empty container. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz).

24 HOUR EMERGENCY RESPONSE: 0800 243 622 (0800 CHEMCALL)





